




Legrand
9-in Dual-Purpose In-Wall Enclosure
Part No. ENP0900NA



The 9-in Dual-Purpose In-Wall Enclosure is engineered to provide storage of structured wiring and AV components. The ENP0900NA is constructed of Wi-Fi transparent material to manage wireless components and AV devices at point-of-use locations, like directly behind a TV or other media centers. It can also be used for structured wiring purposes, as smaller-sized options in the existing line of On-Q enhanced structured wiring enclosures. The ENP0900NA is compatible with devices like Apple TV, Roku, Amazon Fire TV, small network switches and more. Includes cover, trim ring and drywall clips, allowing for both new construction and retrofit installations.

Features & Benefits

Designed for in-wall storage and distribution of structured wiring and AV components	Can be placed behind most TV wall-mounts including SANUS premium TV mounts
Compatible with devices like Apple TV, Roku, Amazon Fire TV, network switches, 3rd party structured wiring components and more	Trim ring conceals drywall cut out for clean finish and smooth transition to wall surface
Tool-free cover is low profile and designed to snap into place providing a "flush" appearance to wall surface	Knockout configurations support conduit and in-wall wired connections, while a cable pass through on cover allows for outside cable connections
Features (2) AC knockouts to accommodate a single gang junction box to power devices in enclosure	Universal mounting grid maximizes compatibility with 3rd party devices without additional mounting brackets
Features drywall clips to allow both retrofit and new construction installations	UL Listed and constructed of Wi-Fi transparent ABS plastic to ensure uninterrupted performance of wireless devices
Proudly made in the USA	

Specifications

General Info

Color	White
UPC Number	804428434542
Country Of Origin	United States
Product Line	On-Q
Application Sector	Residential/Commercial
Type	Enclosure
Standard	RoHS, UL

Additional Information

RoHS Conformant	Yes
Product Has Potential to Contribute to LEED	No

Technical Information

Mounting Consult the Factory for Mounting Recommendations

Compatibility Paintable with Rust-Oleum paint for plastic or equivalent

Operating Temperature 32 to 122 F

Thickness 0.1 in

Frame Injection-molded plastic

Environmental Conditions 0 to 93 (relative humidity, non-condensing) pct
